

Notice of Allowability

Application No.

10/766,364

Examiner

Robert G. Santos

Applicant(s)

WALDMAN ET AL.

Art Unit

3673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the papers filed on 12/10 & 12/20/04, and the telephonic interviews held on 3/2 & 3/8/05.
2. ☒ The allowed claim(s) is/are 1-20.
3. ☒ The drawings filed on 28 January 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 12102004
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 03022005, 03082005.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.



**ROBERT G. SANTOS
PRIMARY EXAMINER**

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Louis Weinstein on March 2, 2005 for the changes to claims 1 & 12 and in a second telephone interview with Ryan O'Donnell on March 8, 2005 for the change to the continuing data contained in the specification.

The application has been amended as follows:

- 1) On page 1, in the second line of paragraph 0002: The phrase --now U.S. Patent No. 6,704,949,-- has been inserted before the term "which".
- 2) In claim 1, line 4: The term --tubular-- has been inserted before the term "rail".
- 3) In claim 12, line 4: The term --tubular-- has been inserted before the term "frame".

2. The following is an examiner's statement of reasons for allowance: The examiner respectfully asserts that none of the prior art, taken either singly or in combination, is seen to teach or suggest the use of a combination bassinet, changing table and bedside sleeper structure comprising the particular structure of a *board* for supporting a mattress; a substantially *oval-shaped tubular* rail; rail supports *secured to and extending upwardly from the board* for

Art Unit: 3673

supporting the rail a spaced distance above the board; and a second support for the rail, the rail supports and the board, wherein the second support is *joined to the board* and includes adjustable legs for adjusting a *height* of the board and the rail, as explicitly recited in Applicants' independent claims 1 and 12. As shown by the cited prior art, conventional board members used in conjunction with sleeper structures are generally supported within and not attached to a surrounding frame since these board members are intended to be removed whenever the sleeper structures are folded or collapsed for storage. Hence, it is considered that the application is currently in full and proper condition for allowance.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert G. Santos whose telephone number is (703) 308-7469. The examiner can normally be reached on Tues-Fr and first Mondays, 10:30 a.m. to 8:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather C. Shackelford can be reached on (703) 308-2978. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3673

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Robert G. Santos
Primary Examiner
Art Unit 3673

R.S.
March 8, 2005